



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA30801013-001

Batch#: C801

Seed to Sale# NA

Batch Date: 07/21/23

Sample Size Received: 1 units

Total Amount: 5 units

Retail Product Size: 131.4105 gram

Ordered: 07/27/23

Sampled: 07/27/23

Completed: 08/04/23

Sampling Method: SOP.T.20.010.FL

**PASSED**

Aug 04, 2023 | DIET SMOKE

7901 4TH ST N SUITE 300  
 ST PETERSBURG, FL, 33702, US



Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
 NOT TESTED



Moisture  
 NOT TESTED



Terpenes  
 NOT TESTED

MISC.

**Cannabinoid**

**PASSED**



Total THC  
**0.204%**  
 Total THC/Container : 268.077 mg



Total CBD  
**ND**  
 Total CBD/Container : 0 mg



Total Cannabinoids  
**0.204%**  
 Total Cannabinoids/Container : 268.077 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.204	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
mg/unit	268.077	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
 1665, 585, 1440

Weight:  
 3.1521g

Extraction date:  
 08/02/23 10:51:49

Extracted by:  
 3335,1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA062896POT

Instrument Used : DA-LC-007

Analyzed Date : 08/02/23 10:55:08

Reviewed On : 08/03/23 10:04:33

Batch Date : 08/02/23 08:50:52

Dilution : 40

Reagent : 070323.01; 080123.R38; 060723.50; 060723.24; 080123.R35

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**

Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



Signature  
 08/04/23



# Certificate of Analysis

**PASSED**

DIET SMOKE

Sample : DA30801013-001

7901 4TH ST N SUITE 300  
ST PETERSBURG, FL, 33702, US  
Telephone: (954) 609-5386  
Email: zach@dietsmoke.com

Batch# : C801

Sampled : 07/27/23

Ordered : 07/27/23

Sample Size Received : 1 units

Total Amount : 5 units

Completed : 08/04/23 Expires: 08/04/24

Sample Method : SOP Client Method

Page 2 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 3379, 585, 1440 <b>Weight:</b> 0.9603g <b>Extraction date:</b> 08/02/23 12:53:53 <b>Extracted by:</b> 4056,3379 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA062912PES <b>Reviewed On :</b> 08/04/23 12:22:24 <b>Instrument Used :</b> DA-LCMS-003 (PES) <b>Batch Date :</b> 08/02/23 10:06:17 <b>Analyzed Date :</b> 08/02/23 14:02:46 <b>Dilution :</b> 250 <b>Reagent :</b> 080223.R04; 040521.11; 072723.R26; 073123.R01; 080123.R18; 072523.R14; 080223.R05 <b>Consumables :</b> 326250IW <b>Pipette :</b> DA-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DIAZINON	0.01	ppm	3	PASS	ND	<b>Analyzed by:</b> 450, 585, 1440 <b>Weight:</b> 0.9603g <b>Extraction date:</b> 08/02/23 12:53:53 <b>Extracted by:</b> 4056,3379 <b>Analysis Method :</b> SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville) <b>Analytical Batch :</b> DA062914VOL <b>Reviewed On :</b> 08/04/23 12:20:03 <b>Instrument Used :</b> DA-GCMS-001 <b>Batch Date :</b> 08/02/23 10:08:51 <b>Analyzed Date :</b> 08/02/23 13:20:28 <b>Dilution :</b> 250 <b>Reagent :</b> 080223.R04; 040521.11; 071123.R21; 071123.R22 <b>Consumables :</b> 326250IW; 14725401 <b>Pipette :</b> DA-080; DA-146; DA-218 Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND						
ETOXAZOLE	0.01	ppm	1.5	PASS	ND						
FENHEXAMID	0.01	ppm	3	PASS	ND						
FENOXICARB	0.01	ppm	0.1	PASS	ND						
FENYPROXIMATE	0.01	ppm	2	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	2	PASS	ND						
FLUDIOXONIL	0.01	ppm	3	PASS	ND						
HEXYTHIAZOX	0.01	ppm	2	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	1	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND						
MALATHION	0.01	ppm	2	PASS	ND						
METALAXYL	0.01	ppm	3	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	3	PASS	ND						
NALED	0.01	ppm	0.5	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
08/04/23



# Certificate of Analysis


**PASSED**
**DIET SMOKE**

 7901 4TH ST N SUITE 300  
 ST PETERSBURG, FL, 33702, US  
 Telephone: (954) 609-5386  
 Email: zach@dietsmoke.com

**Sample : DA30801013-001**
**Batch# :** C801  
**Sampled :** 07/27/23  
**Ordered :** 07/27/23

**Sample Size Received :** 1 units  
**Total Amount :** 5 units  
**Completed :** 08/04/23 **Expires:** 08/04/24  
**Sample Method :** SOP Client Method

**Page 3 of 5**

	<b>Residual Solvents</b>					<b>PASSED</b>
<b>Solvents</b>	<b>LOD</b>	<b>Units</b>	<b>Action Level</b>	<b>Pass/Fail</b>	<b>Result</b>	
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND	
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND	
2-PROPANOL	50	ppm	500	PASS	ND	
ACETONE	75	ppm	750	PASS	ND	
ACETONITRILE	6	ppm	60	PASS	ND	
BENZENE	0.1	ppm	1	PASS	ND	
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND	
CHLOROFORM	0.2	ppm	2	PASS	ND	
DICHLOROMETHANE	12.5	ppm	125	PASS	ND	
ETHANOL	500	ppm		TESTED	ND	
ETHYL ACETATE	40	ppm	400	PASS	ND	
ETHYL ETHER	50	ppm	500	PASS	ND	
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND	
HEPTANE	500	ppm	5000	PASS	ND	
METHANOL	25	ppm	250	PASS	ND	
N-HEXANE	25	ppm	250	PASS	ND	
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND	
PROPANE	500	ppm	5000	PASS	ND	
TOLUENE	15	ppm	150	PASS	ND	
TOTAL XYLENES	15	ppm	150	PASS	ND	
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND	

<b>Analyzed by:</b> 850, 585, 1440	<b>Weight:</b> 0.0286g	<b>Extraction date:</b> 08/03/23 11:43:50	<b>Extracted by:</b> 850
---------------------------------------	---------------------------	--	-----------------------------

<b>Analysis Method :</b> SOP.T.40.041.FL	<b>Reviewed On :</b> 08/03/23 14:15:21
<b>Analytical Batch :</b> DA062923SOL	<b>Batch Date :</b> 08/02/23 14:39:10
<b>Instrument Used :</b> DA-GCMS-003	
<b>Analyzed Date :</b> 08/03/23 13:10:56	

<b>Dilution :</b> 1
<b>Reagent :</b> N/A
<b>Consumables :</b> N/A
<b>Pipette :</b> N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

DIET SMOKE

7901 4TH ST N SUITE 300  
ST PETERSBURG, FL, 33702, US  
Telephone: (954) 609-5386  
Email: zach@dietsmoke.com

Sample : DA30801013-001

Batch# : C801  
Sampled : 07/27/23  
Ordered : 07/27/23

Sample Size Received : 1 units  
Total Amount : 5 units  
Completed : 08/04/23 Expires: 08/04/24  
Sample Method : SOP Client Method

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	<b>Analyzed by:</b> 3379, 585, 1440	<b>Weight:</b> 0.9603g	<b>Extraction date:</b> 08/02/23 12:53:53	<b>Extracted by:</b> 4056,3379		

**Analyzed by:** 3390, 585, 1440    **Weight:** 0.9484g    **Extraction date:** 08/02/23 10:32:22    **Extracted by:** 3621

**Analysis Method:** SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL  
**Analytical Batch:** DA062893MIC    **Reviewed On:** 08/03/23 12:57:24    **Batch Date:** 08/02/23

**Instrument Used:** PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-013, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021  
**Analyzed Date:** 08/02/23 12:33:12

**Dilution:** N/A  
**Reagent:** 062123.09; 071823.R01; 020823.18; 092122.09; 073123.R26  
**Consumables:** 7563004013  
**Pipette:** N/A

**Analyzed by:** 3390, 3621, 585, 1440    **Weight:** 0.9484g    **Extraction date:** 08/02/23 10:32:22    **Extracted by:** 3621

**Analysis Method:** SOP.T.40.208 (Gainesville), SOP.T.40.209.FL  
**Analytical Batch:** DA062918TYM    **Reviewed On:** 08/04/23 13:38:51  
**Instrument Used:** Incubator (25-27C) DA-097    **Batch Date:** 08/02/23 10:34:10  
**Analyzed Date:** 08/02/23 12:27:59

**Dilution:** 10  
**Reagent:** 062123.09; 070523.R46  
**Consumables:** N/A  
**Pipette:** N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

**Analysis Method:** SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)  
**Analytical Batch:** DA062915MYC    **Reviewed On:** 08/04/23 10:01:13  
**Instrument Used:** N/A    **Batch Date:** 08/02/23 10:09:21  
**Analyzed Date:** 08/02/23 14:02:58

**Dilution:** 250  
**Reagent:** 080223.R04; 040521.11; 072723.R26; 073123.R01; 080123.R18; 072523.R14; 080223.R05  
**Consumables:** 326250IW  
**Pipette:** DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
<b>TOTAL CONTAMINANT LOAD METALS</b>	0.08	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
LEAD	0.02	ppm	ND	PASS	0.5

**Analyzed by:** 1022, 585, 1440    **Weight:** 0.2379g    **Extraction date:** 08/02/23 12:04:40    **Extracted by:** 1022

**Analysis Method:** SOP.T.30.082.FL, SOP.T.40.082.FL  
**Analytical Batch:** DA062907HEA    **Reviewed On:** 08/03/23 10:03:00  
**Instrument Used:** DA-ICPMS-003    **Batch Date:** 08/02/23 09:46:57  
**Analyzed Date:** 08/02/23 15:58:41

**Dilution:** 50  
**Reagent:** 071923.R45; 072023.R11; 072823.R15; 072523.R13; 072823.R13; 072823.R14; 072523.R11; 071023.01; 072523.R10  
**Consumables:** 179436; 15021042; 210508058  
**Pipette:** DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



4131 SW 47th AVENUE SUITE 1408  
 DAVIE, FL, 33314, US  
 (954) 368-7664

Kaycha Labs

CherryLimeSample  
 N/A  
 Matrix : Edible  
 Type: Gummy



# Certificate of Analysis

**PASSED**

DIET SMOKE

7901 4TH ST N SUITE 300  
 ST PETERSBURG, FL, 33702, US  
 Telephone: (954) 609-5386  
 Email: zach@dietsmoke.com

Sample : DA30801013-001

Batch# : C801  
 Sampled : 07/27/23  
 Ordered : 07/27/23

Sample Size Received : 1 units  
 Total Amount : 5 units  
 Completed : 08/04/23 Expires: 08/04/24  
 Sample Method : SOP Client Method

Page 5 of 5

	<b>Filth/Foreign Material</b>	<b>PASSED</b>
--	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090  
 Analytical Batch : DA062920FIL  
 Instrument Used : Filth/Foreign Material Microscope  
 Analyzed Date : 08/02/23 11:14:00  
 Reviewed On : 08/02/23 11:33:23  
 Batch Date : 08/02/23 11:11:00

Dilution : N/A  
 Reagent : N/A  
 Consumables : N/A  
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



Signature  
 08/04/23