



Certificate of Analysis

COMPLIANCE FOR RETAIL











Oct 02, 2023 | DIET SMOKE

7901 4TH ST N SUITE 300
ST PETERSBURG, FL, 33702, US




PASSED

Pages 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents PASSED	 Filtration PASSED	 Water Activity NOT TESTED	 Moisture NOT TESTED	 Terpenes NOT TESTED

Cannabinoid **PASSED**



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.037	ND	0.005	ND	0.003	ND	ND	ND	ND	ND	ND
mg/g	0.37	ND	0.05	ND	0.03	ND	ND	ND	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

<p>Analyzed by: 3335, 1665, 585, 1440</p> <p>Analysis Method : SOP.T.40.031, SOP.T.30.031</p> <p>Analytical Batch : DA064887POT</p> <p>Instrument Used : DA-LC-007</p> <p>Analyzed Date : 09/29/23 13:58:10</p> <p>Dilution : 40</p> <p>Reagent : 092723.R01; 071222.01; 092623.R03</p> <p>Consumables : 947.109; 280670723; CE0123; R1KB14270</p> <p>Pipette : DA-079; DA-108; DA-078</p>	<p>Weight: 2.0598g</p>	<p>Extraction date: 09/29/23 13:56:00</p>	<p>Reviewed On : 10/02/23 09:14:39</p> <p>Batch Date : 09/29/23 09:29:16</p>	<p>Extracted by: 1665</p>
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------	-------------------------------------------	------------------------------------------------------------------------------	---------------------------

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
10/02/23



Certificate of Analysis

PASSED

DIET SMOKE

7901 4TH ST N SUITE 300
ST PETERSBURG, FL, 33702, US
Telephone: (954) 609-5386
Email: zach@dietsmoke.com

Sample : DA30927010-002
Harvest/Lot ID: DSSH01

Batch# : DSSH01
Sampled : 09/26/23
Ordered : 09/26/23

Sample Size Received : 25 mg
Total Amount : 25 mg
Completed : 10/02/23 Expires: 10/02/24
Sample Method : SOP.T.20.010.FL

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRETHRIN I	0.010	ppm	1	PASS	ND
ACEQUINOXYL	0.010	ppm	2	PASS	ND	PYRETHRIN II	0.010	ppm	1	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.2	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
DIAZINON	0.010	ppm	3	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	3379, 585, 1440	0.8993g	09/30/23 20:30:27	585		
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Analysis Method :					
FENHEXAMID	0.010	ppm	3	PASS	ND	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
FENPYROXIMATE	0.010	ppm	2	PASS	ND	Analytical Batch :		Reviewed On :			
FIPRONIL	0.010	ppm	0.1	PASS	ND	DA064863PES		09/30/23 20:37:06			
FLONICAMID	0.010	ppm	2	PASS	ND	Instrument Used :		Batch Date :			
FLUDIOXONIL	0.010	ppm	3	PASS	ND	DA-LCMS-004 (PES)		09/28/23 11:23:27			
HEXYTHIAZOX	0.010	ppm	2	PASS	ND	Analyzed Date :					
IMAZALIL	0.010	ppm	0.1	PASS	ND	09/29/23 17:34:50					
IMIDACLOPRID	0.010	ppm	3	PASS	ND	Dilution :					
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	250					
MALATHION	0.010	ppm	2	PASS	ND	Reagent :					
METALAXYL	0.010	ppm	3	PASS	ND	092523.R02; 092223.R21; 092523.R01; 092223.R15; 090623.R01; 092723.R02; 040521.11					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Consumables :					
METHOMYL	0.010	ppm	0.1	PASS	ND	326250IW					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Pipette :					
MYCLOBUTANIL	0.010	ppm	3	PASS	ND	DA-093; DA-094; DA-219					
NALED	0.010	ppm	0.5	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyzed by: 450, 585, 1440 Weight: 0.8993g Extraction date: 09/30/23 20:30:27 Extracted by: 585
 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL
 Analytical Batch : DA064865VOL Reviewed On : 09/29/23 15:31:04
 Instrument Used : DA-GCMS-001 Batch Date : 09/28/23 11:25:58
 Analyzed Date : N/A
 Dilution : 250
 Reagent : 092523.R02; 092223.R21; 092523.R01; 092223.R15; 090623.R01; 092723.R02; 040521.11
 Consumables : 326250IW
 Pipette : DA-093; DA-094; DA-219
 Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
10/02/23



Certificate of Analysis

PASSED

DIET SMOKE


 7901 4TH ST N SUITE 300
 ST PETERSBURG, FL, 33702, US
 Telephone: (954) 609-5386
 Email: zach@dietsmoke.com

 Sample : DA30927010-002
 Harvest/Lot ID: DSSH01

 Batch# : DSSH01
 Sampled : 09/26/23
 Ordered : 09/26/23

 Sample Size Received : 25 mg
 Total Amount : 25 mg
 Completed : 10/02/23 Expires: 10/02/24
 Sample Method : SOP.T.20.010.FL

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	5	PASS	ND
ACETONE	75.000	ppm	5000	PASS	ND
DICHLOROMETHANE	12.500	ppm	600	PASS	ND
BENZENE	0.100	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	60	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	<2500.000
ETHYL ACETATE	40.000	ppm	5000	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	2000	PASS	ND
ACETONITRILE	6.000	ppm	410	PASS	ND
ETHYL ETHER	50.000	ppm	5000	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	3000	PASS	ND
N-HEXANE	25.000	ppm	290	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	890	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	2100	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	80	PASS	ND
XYLENES-M&P (1,3&1,4-DIMETHYLBENZENE)	27.000	ppm	2170	PASS	ND
XYLENES-O (1,2-DIMETHYLBENZENE)	13.500	ppm	2170	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.0252g	Extraction date: 09/29/23 14:49:06	Extracted by: 850
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL	Reviewed On : 09/29/23 16:47:18
Analytical Batch : DA06487650L	Batch Date : 09/28/23 16:31:13
Instrument Used : DA-GCMS-002	
Analyzed Date : 09/29/23 14:54:33	

Dilution : 1
 Reagent : 030420.09
 Consumables : R2017.167; G201.167
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

DIET SMOKE

7901 4TH ST N SUITE 300
ST PETERSBURG, FL, 33702, US
Telephone: (954) 609-5386
Email: zach@dietsmoke.com

Sample : DA30927010-002
Harvest/Lot ID: DSSH01

Batch# : DSSH01
Sampled : 09/26/23
Ordered : 09/26/23

Sample Size Received : 25 mg
Total Amount : 25 mg
Completed : 10/02/23 Expires: 10/02/24
Sample Method : SOP.T.20.010.FL

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
-----------------------------------------------------------------------------------	------------------	---------------	-----------------------------------------------------------------------------------	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3390, 585, 1440 Weight: 1.0022g Extraction date: 09/28/23 11:48:59 Extracted by: 3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA064836MIC Reviewed On : 09/30/23 18:58:19 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-013, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Batch Date : 09/28/23 08:44:05 Analyzed Date : 09/28/23 14:31:02 Dilution : N/A Reagent : 083123.118; 092123.R19; 081023.04 Consumables : 7565004008 Pipette : N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 1440 Weight: 0.8993g Extraction date: 09/30/23 20:30:27 Extracted by: 585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA064864MYC Reviewed On : 09/30/23 20:45:06 Instrument Used : N/A Batch Date : 09/28/23 11:25:55 Analyzed Date : 09/29/23 17:35:07 Dilution : 250 Reagent : 092523.R02; 092223.R21; 092523.R01; 092223.R15; 090623.R01; 092723.R02; 040521.11 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 3390, 3336, 585, 1440 Weight: 1.0022g Extraction date: N/A Extracted by: 3390, 3336 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA064870TYM Reviewed On : 09/30/23 18:59:58 Instrument Used : Incubator (25-27C) DA-096 Batch Date : 09/28/23 11:34:14 Analyzed Date : 09/28/23 14:30:12 Dilution : 10 Reagent : 083123.118; 092123.R18 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440 Weight: 0.2989g Extraction date: 09/28/23 15:00:42 Extracted by: 1022, 4306 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA064845HEA Reviewed On : 09/29/23 10:21:47 Instrument Used : DA-ICPMS-004 Batch Date : 09/28/23 09:59:15 Analyzed Date : 09/28/23 16:57:51 Dilution : 50 Reagent : 092123.R14; 083023.R58; 092223.R20; 092123.R03; 092223.R18; 092223.R19; 083123.R04; 083123.R03 Consumables : 179436; 1852142; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
10/02/23



4131 SW 47th AVENUE SUITE 1408
 DAVIE, FL, 33314, US
 (954) 368-7664

Kaycha Labs

Strawberry Hibiscus Shots

NA

Matrix : Edible



Type: HEMP/CBD Florida - Food - Hemp rules for all products other than topical, flower, and suppositories.

Certificate of Analysis

PASSED

DIET SMOKE

7901 4TH ST N SUITE 300
 ST PETERSBURG, FL, 33702, US
 Telephone: (954) 609-5386
 Email: zach@dietsmoke.com

Sample : DA30927010-002
 Harvest/Lot ID: DSSH01

Batch# : DSSH01
 Sampled : 09/26/23
 Ordered : 09/26/23

Sample Size Received : 25 mg
 Total Amount : 25 mg
 Completed : 10/02/23 Expires: 10/02/24
 Sample Method : SOP.T.20.010.FL

Page 5 of 5

	Filth/Foreign Material	PASSED
--	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 3379, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090
 Analytical Batch : DA064853FIL
 Instrument Used : Filth/Foreign Material Microscope
 Analyzed Date : 09/28/23 11:00:16
 Reviewed On : 09/28/23 19:27:32
 Batch Date : 09/28/23 10:57:08

Dilution : N/A
 Reagent : N/A
 Consumables : N/A
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

Signature
 10/02/23