



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40715003-005
 Batch#: DS-D8-OC-70924
 Seed to Sale# NA
 Batch Date: 07/09/24
 Sample Size Received: 1 units
 Total Amount: 5 units
 Retail Product Size: 5 gram
 Retail Serving Size: 1 gram
 Servings: 15
 Ordered: 07/09/24
 Sampled: 07/15/24
 Completed: 07/18/24
 Revision Date: 07/19/24
 Sampling Method: SOP.T.20.010.FL

Jul 19, 2024 | DIET SMOKE

7901 4TH ST N SUITE 300
 ST PETERSBURG, FL, 33702, US



PASSED

Pages 1 of 5

SAFETY RESULTS


 Pesticides
PASSED


 Heavy Metals
PASSED


 Microbials
PASSED


 Mycotoxins
PASSED


 Residuals
 Solvents
PASSED


 Filtration
PASSED


 Water Activity
 NOT TESTED


 Moisture
 NOT TESTED

MISC.


 Terpenes
 NOT TESTED

Cannabinoid **PASSED**



Total THC
0.141%
 Total THC/Gummy : 7.050 mg



Total CBD
0.108%
 Total CBD/Gummy : 5.400 mg



Total Cannabinoids
0.678%
 Total Cannabinoids/Gummy : 33.900 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.141	ND	0.108	ND	0.429	0.001	ND	0.001	ND	ND	0.001
mg/unit	7.05	ND	5.40	ND	21.45	0.05	ND	0.05	ND	ND	0.05
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by: 1665, 585, 1440 Weight: 2.763g Extraction date: 07/16/24 13:47:35 Extracted by: 1665
 Analysis Method : SOP.T.40.031, SOP.T.30.031 Reviewed On : 07/18/24 06:01:04
 Analytical Batch : DA075297POT Batch Date : 07/16/24 10:47:56
 Instrument Used : DA-LC-007
 Analyzed Date : 07/16/24 13:48:44
 Dilution : 40
 Reagent : 071024.R01; 060723.24; 070524.R01
 Consumables : 947.100; 280670723; CE0123; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJA-
 Testing 97164



Signature
 07/18/24



Certificate of Analysis

PASSED

DIET SMOKE

Sample : DA40715003-005

Batch# : DS-D8-OC-70924

Sampled : 07/15/24

Ordered : 07/15/24

Sample Size Received : 1 units


Total Amount : 5 units

Completed : 07/18/24 Expires: 07/19/25

Sample Method : SOP.T.20.010.FL

7901 4TH ST N SUITE 300
ST PETERSBURG, FL, 33702, US
Telephone: (954) 609-5386
Email: zach@dietsmoke.com

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result			
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND			
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND			
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND			
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND			
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND			
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND			
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND			
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND			
ACEQUINOCYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND			
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND			
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND			
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND			
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND			
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND			
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND			
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.2	PASS	ND			
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND			
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND			
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND			
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND			
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND			
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND			
DAMINOZIDE	0.010	ppm	0.1	PASS	ND									
DIAZINON	0.010	ppm	3	PASS	ND	<table border="0" style="width: 100%;"> <tr> <td>Analyzed by:</td> <td>Weight:</td> <td>Extraction date:</td> <td>Extracted by:</td> </tr> <tr> <td>3379, 585, 1440</td> <td>0.9656g</td> <td>07/16/24 15:24:27</td> <td>3621</td> </tr> </table>	Analyzed by:	Weight:	Extraction date:	Extracted by:	3379, 585, 1440	0.9656g	07/16/24 15:24:27	3621
Analyzed by:	Weight:	Extraction date:	Extracted by:											
3379, 585, 1440	0.9656g	07/16/24 15:24:27	3621											
DICHLORVOS	0.010	ppm	0.1	PASS	ND	<p>Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)</p>								
DIMETHOATE	0.010	ppm	0.1	PASS	ND	<p>Analytical Batch : DA075305PES</p>								
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	<p>Instrument Used : DA-LCMS-004 (PES)</p>								
ETOFENPROX	0.010	ppm	0.1	PASS	ND	<p>Analyzed Date : N/A</p>								
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	<p>Dilution : 250</p>								
FENHEXAMID	0.010	ppm	3	PASS	ND	<p>Reagent : 071224.R22; 071024.R08; 070924.R04; 071024.R37; 062524.R04; 071024.R06; 040423.08</p>								
FENOXYCARB	0.010	ppm	0.1	PASS	ND	<p>Consumables : 326250IW</p>								
FENPYROXIMATE	0.010	ppm	2	PASS	ND	<p>Pipette : DA-093; DA-094; DA-219</p>								
FIPRONIL	0.010	ppm	0.1	PASS	ND	<p>Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</p>								
FLONICAMID	0.010	ppm	2	PASS	ND	<table border="0" style="width: 100%;"> <tr> <td>Analyzed by:</td> <td>Weight:</td> <td>Extraction date:</td> <td>Extracted by:</td> </tr> <tr> <td>450, 585, 1440</td> <td>0.9656g</td> <td>07/16/24 15:24:27</td> <td>3621</td> </tr> </table>	Analyzed by:	Weight:	Extraction date:	Extracted by:	450, 585, 1440	0.9656g	07/16/24 15:24:27	3621
Analyzed by:	Weight:	Extraction date:	Extracted by:											
450, 585, 1440	0.9656g	07/16/24 15:24:27	3621											
FLUDIOXONIL	0.010	ppm	3	PASS	ND	<p>Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL</p>								
HEXYTHIAZOX	0.010	ppm	2	PASS	ND	<p>Analytical Batch : DA075307VOL</p>								
IMAZALIL	0.010	ppm	0.1	PASS	ND	<p>Instrument Used : DA-GCMS-010</p>								
IMIDACLOPRID	0.010	ppm	1	PASS	ND	<p>Analyzed Date : 07/16/24 19:20:52</p>								
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	<p>Dilution : 250</p>								
MALATHION	0.010	ppm	2	PASS	ND	<p>Reagent : 070924.R04; 040423.08; 071024.R46; 071024.R47</p>								
METALAXYL	0.010	ppm	3	PASS	ND	<p>Consumables : 326250IW; 14725401</p>								
METHIACARB	0.010	ppm	0.1	PASS	ND	<p>Pipette : DA-080; DA-146; DA-218</p>								
METHOMYL	0.010	ppm	0.1	PASS	ND	<p>Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</p>								
MEVINPHOS	0.010	ppm	0.1	PASS	ND									
MYCLOBUTANIL	0.010	ppm	3	PASS	ND									
NALED	0.010	ppm	0.5	PASS	ND									

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164



Signature
07/18/24



Certificate of Analysis


PASSED
DIET SMOKE

 7901 4TH ST N SUITE 300
 ST PETERSBURG, FL, 33702, US
 Telephone: (954) 609-5386
 Email: zach@dietsmoke.com

Sample : DA40715003-005
Batch# : DS-D8-OC-70924
Sampled : 07/15/24
Ordered : 07/15/24

Sample Size Received : 1 units
Total Amount : 5 units
Completed : 07/18/24 **Expires:** 07/19/25
Sample Method : SOP.T.20.010.FL

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm		TESTED	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.0248g	Extraction date: 07/17/24 11:15:00	Extracted by: 850
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA075330SOL Instrument Used : DA-GCMS-003 Analyzed Date : 07/16/24 17:40:17	Reviewed On : 07/17/24 12:57:06 Batch Date : 07/16/24 12:45:35
---	---

Dilution : 1
 Reagent : 030420.09
 Consumables : 429651; 306143
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
 07/18/24



Certificate of Analysis

PASSED
DIET SMOKE

7901 4TH ST N SUITE 300
ST PETERSBURG, FL, 33702, US
Telephone: (954) 609-5386
Email: zach@dietsmoke.com

Sample : DA40715003-005
Batch# : DS-D8-OC-70924
Sampled : 07/15/24
Ordered : 07/15/24

Sample Size Received : 1 units
Total Amount : 5 units
Completed : 07/18/24 **Expires:** 07/19/25
Sample Method : SOP.T.20.010.FL

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						

Analyzed by: 4044, 4520, 585, 1440 **Weight:** 1.1g **Extraction date:** 07/16/24 12:12:05 **Extracted by:** 4531

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA075259MIC **Reviewed On :** 07/18/24 11:53:57
Batch Date : 07/16/24

Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (55°C) 07:34:42 DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021, Fisher Scientific Isotemp Heat Block (55°C) DA-366, Fisher Scientific Isotemp Heat Block (95°C) DA-367
Analyzed Date : 07/17/24 14:45:18

Dilution : 10
Reagent : 061324.37; 061324.48; 070324.R36; 030724.33; 083123.106
Consumables : 7573003038
Pipette : N/A

Analyzed by: 4044, 3621, 585, 1440 **Weight:** 1.1g **Extraction date:** 07/16/24 12:12:05 **Extracted by:** 4531

Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL
Analytical Batch : DA075260TYM **Reviewed On :** 07/18/24 18:03:26
Instrument Used : Incubator (25°C) DA- 328 **Batch Date :** 07/16/24 07:37:06
Analyzed Date : 07/16/24 18:44:51

Dilution : 10
Reagent : 061324.37; 061324.48; 070324.R35
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyzed by: 3379, 585, 1440 **Weight:** 0.9656g **Extraction date:** 07/16/24 15:24:27 **Extracted by:** 3621
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)
Analytical Batch : DA075306MYC **Reviewed On :** 07/17/24 10:41:33
Instrument Used : N/A **Batch Date :** 07/16/24 10:57:25
Analyzed Date : N/A

Dilution : 250
Reagent : 071224.R22; 071024.R08; 070924.R04; 071024.R37; 062524.R04; 071024.R06; 040423.08
Consumables : 326250IW
Pipette : DA-093; DA-094; DA-219
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	<0.100	PASS	0.5

Analyzed by: 1022, 4056, 585, 1440 **Weight:** 0.2414g **Extraction date:** 07/16/24 12:45:54 **Extracted by:** 4056

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : DA075288HEA **Reviewed On :** 07/17/24 09:11:25
Instrument Used : DA-ICPMS-004 **Batch Date :** 07/16/24 10:33:10
Analyzed Date : 07/16/24 17:57:02

Dilution : 50
Reagent : 070924.R14; 071524.R04; 071624.R10; 071524.R02; 071524.R03; 061724.01; 070524.R05
Consumables : 179436; 120423CH01; 210508058
Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164


Signature
07/18/24



Certificate of Analysis

PASSED

DIET SMOKE

7901 4TH ST N SUITE 300
ST PETERSBURG, FL, 33702, US
Telephone: (954) 609-5386
Email: zach@dietsmoke.com

Sample : DA40715003-005

Batch# : DS-D8-OC-70924
Sampled : 07/15/24
Ordered : 07/15/24

Sample Size Received : 1 units
Total Amount : 5 units
Completed : 07/18/24 **Expires:** 07/19/25
Sample Method : SOP.T.20.010.FL

Page 5 of 5

	Filth/Foreign Material	PASSED
---	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
1879, 585, 1440	NA	N/A	N/A

Analysis Method : SOP.T.40.090
Analytical Batch : DA075373FIL
Instrument Used : Filth/Foreign Material Microscope
Analyzed Date : 07/17/24 11:38:09
Reviewed On : 07/17/24 11:52:22
Batch Date : 07/17/24 11:30:50

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
07/18/24